Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/787074.app.	US-PGPUB; USPAT; EPO; JPO	AND	ON .	2007/08/02 17:50
S2	1683	370/254.ccls.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 11:04
S 3	164684	SAS or (searail ADJ attached adj SCSI)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 11:05
S4	1	(SAS or (searail adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) (attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2) initiat\$3 expander merg\$3 downstream PHY	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 11:16
S5	1	(SAS or (searail adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) (attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2) initiat\$3 expander ((merg\$3 or combining or incorporat\$3) with (topology with (information or table))) downstream PHY	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 11:18
S6	1	(SAS or (searail adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) (attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2) initiat\$3 expander ((merg\$3 or combining or incorporat\$3) with (topology with (information or table)))	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 11:19
S 7	2	(SAS or (searail adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) (attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2) iniţiat\$3 expander	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:26
S8	99	(SAS or (searail adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) (attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2) initiat\$3	US-PGPUB; USPAT; EPO; JPO	AND .	ON	2007/07/30 11:39

·	1		1	··- ··	T	
S9	76	(SAS or (searail adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) (attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2) initiat\$3 @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 11:40
S10	5	(SAS or (searail adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) (attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2) initiat\$3 ("370"/\$.ccls or "710"/\$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 11:41
S11	5	(SAS or (searail adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) (attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2) ("370"/\$.ccls or "710"/\$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 11:42
S12	32	(SAS or (searail adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) (attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2) ("370"/\$.ccls or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:59
S13	0	("7155546").URPN.	USPAT	AND	ON	2007/07/30 11:47
S14	13	("20020083120" "20020124108" "20030065686" "20030076788" "20030184902" "20040133570" "5706440" "6038400" "6044411" "6289405" "6351375" "6438535" "6553005").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/30 11:48
S15	10	"518412"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:11
S16	0	"518412" "Hub Tolology"	ÚS-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:12
S17	0	"518,412" "Hub Tolology"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:12
S18	1	"518412" "Hub Topology"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:16

	1			ı 		
S19	13	"039807"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:16
S20	2	"039807" "discovering devices"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:17
S21	2	(SAS or (searail adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) (attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2) initiat\$3 expander	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/07/30 15:27
S22	1	"2005/0185599"	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/07/30 15:28
S23	. 0	"2005/0185599"	DERWENT	AND	ON	2007/07/30 15:28
S24	0	10/7411460.app.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:48
S25	. 2	10/741460.app.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:52
S26	1	"6351375".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:52
S27		(SAS or (searail adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) (attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2) expander ("370"/\$.ccls or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 15:53
S28	32	(SAS or (serial adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) (attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2) ("370"/\$.ccls or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:09
S29	32	(SAS or (serial adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) ("370"/\$.ccls or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON ·	2007/07/30 17:13

S30	1	(serial adj attached adj SCSI) (topology with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) ("370"/\$.ccls or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:22
S31	1	("serial attached SCSI" or "serial attached small computer system interface") (topology with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) ("370"/\$. ccls or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:24
S32	1	("serial attached SCSI" or "serial attached small computer system interface") (topology with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:29
S33	1	("serial attached SCSI" or "serial attached small computer system interface") (topology with (information or table)) ((local or remote) with interface) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:28
S34	. 11	("serial attached SCSI" or "serial attached small computer system interface") ((topology or rout\$3 or configuration) with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:50
S35	13956	((topology or rout\$3 or configuration) with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:51

S36	3896	((topology or rout\$3 or configuration) with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) ("370"/\$.ccls or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND .	ON	2007/07/30 16:52
S37	2475	((topology or rout\$3) with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) ("370"/\$. ccls or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:55
S38	2054	((topology or rout\$3) with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) (expander or switch or hub or router) ("370"/\$.ccls or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON .	2007/07/30 16:57
S39	1572	((topology or rout\$3) with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) initiat\$3 (expander or switch or hub or router) ("370"/\$.ccls or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:59
S40		((topology or rout\$3) with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) initiat\$3 (expander or switch or hub or router) ((merg\$3 or combining or incorporat\$3) with (topology with (information or table))) downstream PHY ("370"/\$.ccls or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 16:59

S41	0	((topology or rout\$3) with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) initiat\$3 (expander or switch or hub or router) ((merg\$3 or combining or incorporat\$3) with (topology with (information or table))) downstream PHY ("370"/\$.ccls or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:00
S42	0	((topology or rout\$3) with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) initiat\$3 (expander or switch or hub or router) ((merg\$3 or combining or incorporat\$3) with (topology with (information or table))) downstream PHY ("370"/\$.ccls or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:04
S43		((topology or rout\$3) with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) initiat\$3 (expander or switch or hub or router) ((merg\$3 or combining or incorporat\$3) with (topology with (information or table))) downstream PHY	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:02
S44 .	1	((topology or rout\$3) with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) initiat\$3 (expander or switch or hub or router) ((merg\$3 or combining or incorporat\$3) with (topology with (information or table))) downstream PHY ("370"/\$.ccls. or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:06

			·	·		
S45	6	((topology or rout\$3) with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) initiat\$3 (expander or switch or hub or router) ((merg\$3 or combining or incorporat\$3) with (topology with (information or table))) ("370"/\$. ccls. or "709"/\$.ccls. or "710"/\$. ccls. or "361"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:22
S46	67	(SAS or (serial adj attached adj SCSI)) (topology with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) ("370"/\$.ccls. or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:13
S47	3545	((topology or rout\$3) with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) initiat\$3 (expander or switch or hub or router) ("370"/\$.ccls. or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:16
S48	16	("serial attached SCSI" or "serial attached small computer system interface") ((topology or rout\$3) with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) initiat\$3 (expander or switch or hub or router) ("370"/\$.ccls. or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:17
S49	7	("serial attached SCSI" or "serial attached small computer system interface") ((topology or rout\$3) with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) initiat\$3 (expander or switch or hub or router) ("370"/\$.ccls. or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:18

S50	3545	((topology or rout\$3) with	US-PGPUB;	AND	ON	2007/07/30 17:25
		(information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) initiat\$3 (expander or switch or hub or router) ("370"/\$.ccls. or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.)	USPAT; EPO; JPO			
S51	363	(generat\$3 with (topology or rout\$3) with (information or table)) ((local or remote) with interface) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) initiat\$3 (expander or switch or hub or router) ("370"/\$.ccls. or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:27
S52	4	(generat\$3 with (topology or rout\$3) with (information or table)) ((local or remote) with interface) (determin\$3 with (device adj type)) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) initiat\$3 (expander or switch or hub or router) ("370"/\$.ccls. or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:28
S53		(generat\$3 with (topology or rout\$3) with (information or table)) ((local or remote) with interface) (determin\$4 with (device adj type)) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) initiat\$3 (expander or switch or hub or router) ("370"/\$.ccls. or "709"/\$.ccls. or "710"/\$.ccls. or "361"/\$.ccls.) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON.	2007/07/30 17:28
S54	9	(generat\$3 with (topology or rout\$3) with (information or table)) ((local or remote) with interface) (determin\$4 with (device adj type)) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) initiat\$3 (expander or switch or hub or router) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/07/30 17:29

S55	13	(generat\$3 with (topology or rout\$3) with (information or table)) ((local or remote) with interface) (determin\$4 with (device adj type)) ((attach\$3 or connect\$3 or lin\$3) with (direct\$2 or indirect\$2)) (initiat\$3 or request\$3) @ad<"20040219"	US-PGPUB; USPAT; EPO; JPO	AND	ON ·	2007/07/30 17:39
S56	13	("5481674" "5684959" "5706440" "5729685" "5793975" "5796736" "5822305" "5845149" "6069894" "6108702" "6131119" "6205122" "6286038").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/07/30 17:38
S57	1	"6377987".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON -	2007/07/31 06:43
S58	35	("6377987").URPN.	USPAT	AND	ON	2007/07/31 10:34
S59	. 35	("6377987").URPN. @ad<"20040219"	USPAT	AND	ON	2007/07/31 10:37
S60	21	("5706440").URPN.	USPAT	AND	ON	2007/07/31 10:36
S61	19	("5706440").URPN. @ad<"20040219"	USPAT	AND	ON	2007/07/31 10:44
S62	2	"6038400".pn. or "6351375".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/02 17:51